

Customer Information

John Doe
123 Main Street
Anywhere, 12345
USA

RADON CONCENTRATION AVERAGE

9.2 pCi/L

Test Information


Start Date: 11/16/2021 08:53 AM EST
End Date: 11/18/2021 12:00 PM EST
Delay: No delay
Instrument Location: finished basement
Mitigation System Present: No

Device Information

Device Type: Continuous Radon Monitor
Device Manufacturer: RadonAway
Device Model: RadStar α516
Serial #: 1049

Tester Information

Started Test: Peter Ottowitz
Ended Test: Peter Ottowitz



Test Results

Average: 9.2 pCi/L

Minimum: 5.0 pCi/L

Maximum: 13.2 pCi/L



Test Data

Hour	Radon Level (pCi/L)	Alpha Counts	Temp (°F)	Humd (%)	Pressure (kPa)	Tilt(T)	Battery (B)	Power (AC)
01	1.7	46	63	42	99.0			
02	3.3	83	64	40	99.0			
03	4.8	117	64	40	99.0			
04	5.3	128	64	40	99.0			
05	5.8	140	65	40	99.0			
06	5.8	139	65	38	99.0			
07	5.8	140	64	36	99.0			
08	5.8	140	65	36	99.0			
09	5.0	121	64	34	99.0			
10	5.6	136	65	33	99.0			
11	6.9	164	65	34	99.0			
12	5.9	142	64	35	99.0			
13	7.2	171	65	35	99.0			
14	8.2	194	66	34	99.0			
15	7.2	171	66	34	100.0			
16	6.9	164	66	33	100.0			
17	8.6	203	67	33	100.0			
18	8.7	205	66	33	100.0			
19	7.7	184	66	33	100.0			
20	8.6	204	66	32	100.0			
21	9.3	220	66	32	100.0			
22	9.7	228	67	32	100.0			
23	9.4	222	66	33	100.0			
24	8.0	190	66	35	100.0			
25	9.8	230	67	34	100.0			
26	9.1	216	66	33	100.0			
27	9.8	230	66	33	100.0			
28	9.2	217	66	34	100.0			
29	9.6	226	66	34	100.0			



30	8.8	209	66	33	100.0
31	10.0	236	66	34	100.0
32	9.0	212	66	34	100.0
33	9.3	219	66	33	100.0
34	10.1	239	66	32	100.0
35	9.8	232	66	32	99.0
36	9.8	230	66	32	99.0
37	9.8	232	66	34	99.0
38	10.2	240	66	33	99.0
39	11.9	279	66	32	99.0
40	11.7	275	66	31	99.0
41	10.3	242	66	31	99.0
42	11.3	265	66	31	99.0
43	10.6	249	66	31	99.0
44	12.2	285	66	30	99.0
45	11.9	278	66	30	99.0
46	11.5	269	66	32	99.0
47	13.2	308	66	35	99.0
48	12.2	285	66	37	99.0
49	12.9	302	66	38	99.0
50	12.1	284	67	38	99.0

Test Results

Average: 9.2 pCi/L

Minimum: 5.0 pCi/L

Maximum: 13.2 pCi/L

Peter Ottowitz